

**TCB**

**GRANT OF EQUIPMENT  
AUTHORIZATION**

**TCB**

**Certification**

**Issued Under the Authority of the  
Federal Communications Commission**

**By:**

**Siemic Inc.  
775 Montague Expressway  
Milpitas, CA 95035**

**Date of Grant: 07/26/2016**

**Application Dated: 07/26/2016**

**Flyingvoice Technology Co., Ltd.  
Room 202, Chuangxin Bldg A#,  
No.12 Hongda North Rd, BDA, Beijing, China  
Beijing, 100176  
China**

**Attention: Qiang Fang**

**NOT TRANSFERABLE**

EQUIPMENT AUTHORIZATION is hereby issued to the named GRANTEE, and is VALID ONLY for the equipment identified hereon for use under the Commission's Rules and Regulations listed below.

**FCC IDENTIFIER:** 2AATVFWR7202  
**Name of Grantee:** Flyingvoice Technology Co., Ltd.  
**Equipment Class:** Digital Transmission System  
**Notes:** VoIP Wireless Router

<u>Grant Notes</u>	<u>FCC Rule Parts</u>	<u>Frequency Range (MHZ)</u>	<u>Output Watts</u>	<u>Frequency Tolerance</u>	<u>Emission Designator</u>
MO	15C	2412.0 - 2462.0	0.5408		

Power listed is the maximum combined conducted output power. The antenna(s) used for this transmitter must be installed to provide a separation distance of at least 20 cm from all persons and must not be co-located or operating in conjunction with any other antenna or transmitter, except in accordance with FCC multi-transmitter product procedures. End-Users must be provided with transmitter operation conditions for satisfying RF exposure compliance. Device is 2X2 MIMO. Device contains 20 and 40 MHz signal bandwidth.

MO: This Multiple Input Multiple Output (MIMO) device was evaluated for multiple transmitted signals as indicated in the filing.

