



IP Phone User Guide

P11W

Version 1.1.0 Sep. 2024

Flyingvoice Network Technology Co., Ltd.

Copyright

Copyright © 2020 Flyingvoice Network Technology CO., LTD.

Copyright © 2020 Flyingvoice Network Technology CO., LTD. All rights reserved. No parts of this publication may be reproduced or transmitted in any form or by any means, electronic or mechanical, photocopying, recording, or otherwise, for any purpose, without the express written permission of Flyingvoice Network Technology CO., LTD. Under the law, reproducing includes translating into another language or format.

When this publication is made available on media, Flyingvoice Network Technology CO., LTD. gives its consent to downloading and printing copies of the content provided in this file only for private use but not for redistribution. No parts of this publication may be subject to alteration, modification or commercial use. Flyingvoice Network Technology CO., LTD. will not be liable for any damages arising from use of an illegally modified or altered publication.

Trademark

Flyingvoice[®], the logo and the name and marks are trademark of Flyingvoice Network Technology CO., LTD, which are registered legally in China, the United States, EU (European Union) and other countries.

All other trademarks belong to their respective owners. Without Flyingvoice's express written permission, the recipient shall not reproduce or transmit any portion thereof in any form or by any means, with any purpose other than personal use.

Warranty

1. Warranty

THE SPECIFICATIONS AND INFORMATION REGARDING THE PRODUCTS IN THIS GUIDE ARE SUBJECT TO CHANGE WITHOUT NOTICE. ALL STATEMENTS, INFORMATION, AND RECOMMENDATIONS IN THIS GUIDE ARE BELIEVED TO BE ACCURATE AND PRESENTED WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. USERS MUST TAKE FULL RESPONSIBILITY FOR THEIR APPLICATION OF PRODUCTS.

2. Disclaimer

FLYINGVOICE NETWORK TECHNOLOGY CO., LTD. MAKES NO WARRANTY OF ANY KIND WITH REGARD TO THIS GUIDE, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A

PARTICULAR PURPOSE. FLYINGVOICE Network Technology CO., LTD. shall not be liable for errors contained herein nor for incidental or consequential damages in connection with the furnishing, performance, or use of this guide.

3. Limitation of Liability

Flyingvoice and/or its respective suppliers are not responsible for the suitability of the information contained in this document for any reason. The information is provided "as is",

and Flyingvoice does not provide any warranty and is subject to change without notice. All risks other than risks caused by use of the information are borne by the recipient. In no event, even if Flyingvoice has been suggested the occurrence of damages that are direct, consequential, incidental, special, punitive or whatsoever (Including but not limited to loss of business profit, business interruption or loss of business information), shall not be liable for these damages.

End User License Agreement

This End User License Agreement ("EULA") is a legal agreement between you and Flyingvoice. By installing, copying or otherwise using the Products, you: (1) agree to be bounded by the terms of this EULA, (2) you are the owner or an authorized user of the device, and (3) you represent and warrant that you have the right, authority and capacity to enter into this agreement and to abide by all its terms and conditions, just as if you had signed it. The EULA for this product is available on the Flyingvoice Support page for the product.

Patent Information

China, the United States, EU (European Union) and other countries are protecting one or more patents of accompanying products and/or patents being applied by Flyingvoice.

Technical Support

Visit www.flyingvoice.com for product documents and FAQ, or contact Flyingvoice by email at support@flyingvoice.com. We'll get you the help you need.

Declaration of Conformity

Part 15 FCC Rules

This device complies with Part 15 of the FCC Rules. Operation is subject to the following three conditions:

• This device may not cause harmful interference

• This device must accept any interference received, including interference that may cause undesired operation.

• The distance between user and products should be no less than 20cm

Note: This equipment has been tested and found to comply with the limits of a Class B digital device, pursuant to Part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy, and if not installed and used in accordance with the instructions, may cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- -- Reorient or relocate the receiving antenna.
- -- Increase the separation between the equipment and receiver.

-- Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.

-- Consult the dealer or an experienced radio/TV technician for help.

Note: The manufacturer is not responsible for any radio or TV interference caused by unauthorized modifications to this equipment. Such modifications could void the user's authority to operate this equipment.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

CE

Manufacturer: Flyingvoice Network Technology Co., Ltd.

Address: 1801-1802, Building 1, Chongwen Park, Nanshan Zhiyuan, Nanshan District, Shenzhen, China

Hereby, Flyingvoice Network Technology Co., Ltd. declares that this device is in compliance with the essential requirements and other relevant provisions of Directive 2014/53/EU

A copy of the declaration of conformity can be obtained with this user manual; this product is not restricted in the EU.

The wireless operation frequency

WIFI: 2412MHz-2472MHz, Max EIRP Power 18.16 dBm

Safety warning and Attentions

If use adapter, adapter must be comply 2014/30/EU Directive.

Adapter Caution: Adapter shall be installed near the equipment and shall be easily accessible.

Do not store or use your product in temperatures higher than 50°C.

RF Exposure Statement

The distance between user and products should be no less than 20cm.

GNU GPL INFORMATION

Flyingvoice phone firmware contains third-party software under the GNU General Public License (GPL). Flyingvoice uses software under the specific terms of the GPL. Please refer to the GPL for the exact terms and conditions of the license.

The original GPL license, source code of components licensed under GPL and used in Flyingvoice products can be downloaded online:

https://www.flyingvoice.com/soft_GPL.aspx

Risk Warning Statement

This risk warning statement contains a summary of external network servers that FVUI will access under its factory settings in order to obtain necessary service support. If you want to prohibit these accesses based on security considerations, you can disable them through the WEB management page.

Number	Server Domain Name	Description	Factory Setting	
		Flyingvoice Provision web management	Disable	
1		configuration server	Disable	
2	https://prv4.flyingvoice.net	Flyingvoice Provision web management	Enable	
2		backup server	Enable	
3	pool.ntp.org/cn.pool.ntp.org	NTP server	Enable	
4	https://rps.flyingvoice.net	Flyingvoice Provision redirect server	Enable	

Table of Contents

About This Guide6
Chapter 1 Introduction
1.1 Hardware Overview7
P11W Hardware7
1.2 LED Indicator8
Power LED Indicator8
1.3 Screen and Icons9
Idle Screen9
Calls Screen10
Icons in the Status Bar10
Line Key Icons
Other Icons
1.4 Entering Characters12
Chapter 2 Getting Started13
2.1 Phone initialization13
2.2 Phone Status13
2.3 Basic network settings14
2.4 Wireless Network15
Activating the Wi-Fi Mode15
Connecting to the Wireless Network15
Viewing Wireless Network Information16
Disconnecting Wireless Network Connection17
Deactivating the Wi-Fi Mode17
2.5 Registration17
Phone interface Registration17
Web Registration18
Chapter 3 Call Features

3.1 Placing Calls	19
3.1.1 Placing a Call from the Dialer	19
3.1.2 Placing Multiple Calls	20
3.1.3 Placing a Call from the Call History	21
3.1.4 Placing a Call from the Directory	21
3.1.5 Placing a Call using the RJ9 headset	21
3.2 Answering Calls	21
Answering a Call	22
Answering a Call When in a Call	22
Answering a Call Automatically	22
3.3 Disabling Call Waiting	23
3.4 Silencing or Rejecting Incoming Calls	23
Rejecting Calls with Do Not Disturb (DND)	23
3.5 Ending Calls	24
3.6 Muting/Unmuting Audio	24
3.7 Holding and Resuming Calls	24
Holding a Call	24
Resuming a Held Call	25
3.8 Redirecting Incoming Calls	25
Forwarding All Incoming Calls to a Contact	25
Forwarding All Incoming Calls on All Lines	25
Deactivating Call Forward	26
Diverting Calls to a Contact	26
3.9 Call Waiting	26
Phone interface configuration	27
Web interface configuration	27
3.10 Transferring Calls	27
Performing a Blind Transfer	27
Performing an Attended Transfer	27

3.11 Conference Calls	
Setting Up a Local Conference Call	
Holding or Resuming a Conference Call	
Splitting a Conference Call	29
Ending a Conference Call	29
Chapter 4 Advanced Call Features	
4.1 Paging	
Configuring Paging function	
Using Paging	
4.2 Voice Mail	31
Leaving Voice Mails	31
Listening to Voice Mails	31
4.3 Text Message	32
New Message	32
Viewing text messages	33
Save Text message	
4.4 MWI (Message Waiting Indicator)	35
4.5 Directory	
Local Contacts	
Blacklist	
4.6 Remote Phone Book	41
Remote phonebook updated to local (xml)	41
Remote Phonebook	42
4.7 LDAP	43
4.8 Call History	45
Viewing History Records	45
Saving a History Record to Local Directory	45
Saving a History Record to Blacklist	46
Deleting History Records	46

Chapter 5 Customizing Your Phone	47
5.1 Basic Setting	47
Backlight	47
Language	48
Time & Date	48
Changing the Administrator Password	48
Call Immediately key	49
Phone lock	49
5.2 Audio Settings	49
Adjusting the Volume	49
Setting the Ring Tone	50
5.3 AP Mode	51
Enable AP Mode	51
Chapter 6 Maintaining Your Phone	52
6.1 Rebooting Your Phone	52
6.2 Resetting to Factory Settings	52

About This Guide

Thank you for choosing Flyingvoice P11W IP phone, which delivers the industry's leading HD audio quality and a wide range of business telephony features, such as Call Hold, Call Transfer, Busy Lamp Field, Call Recording, Paging and Conference over an IP network. Meanwhile, it features a compact appearance, robust performance and cost efficiency for daily desktop voice communications.

This guide provides everything you need to quickly use your new phone. Firstly, verify with your system administrator that the IP network is ready for phone configuration. Also be sure to read the Quick Start Guide which can be found in your phone package before you set up and use the IP phone. As you read this guide, keep in mind that some features are configurable by your system administrator or determined by your phone environment. As a result, some features may not be enabled or may operate differently on your phone. Additionally, the examples and graphics in this guide may not directly reflect what is displayed or is available on your phone screen.

Related Documentation

The following types of related documents are available on each page:

- Datasheet
- Quick start guide

Chapter 1 Introduction

This chapter provides the overview of phone hardware and screen layout, and how to navigate your phone for the best performance.

Topics


Hardware Overview LED Indicator Screen and Icons Entering Characters

1.1 Hardware Overview

Topics

P11W Hardware

P11W Hardware



NO.	ltem	Description	
1	Handset	Handset to pick up and answer call	
2	Phone Screen	Shows information about your phone, such as calls, messages, soft keys, time and date	
3	Soft Keys	Access the function displayed on the screen above the soft keys. The soft keys change depending on what you are doing at the time	
4	Recorder Key	Record the voice when talking	
5	MESSAGE Key	Accesses voice mails	
6	Transfer Key	Transfers a call to another party	
7	Mute Key	Toggles and indicates the mute feature. The key LED glows red when the ca is muted.	
8	Navigation Keys	Scroll through information or options displayed on the screen. Access History and Directory respectively.	
9	Volume Key	Adjusts the volume of the handset, headset, and speaker	
10	Headset Key	Toggles and indicates the headset mode. The key LED glows green when headset mode is activated	
11	Redial Key	Redials a previously dialed number	
12	Speakerphone Key	Toggles and indicates the hands-free (speakerphone) mode. The key LED glows green when the hands-free (speakerphone) mode is activated	
13	Keypad	Provides the digits and special characters in context-sensitive applications	
14	Power LED Indicator	Indicates call status, message status, and phone's system status	
15	Logo	FLYINGVOICE Logo	

The main hardware components of the P11W IP phone are described as follows.

1.2 LED Indicator

Power LED Indicator

Error! Use the Home tab to apply 标题 1 to the text that you want to appear here.

LED Status	Description	
Solid red	The phone is initializing	
Fast-flashing red (0.3s)	The phone is ringing	
Slowly-flashing red (2 flashes in 1s)	The phone receives a voice mail or text message	
OFF	The phone is powered off or idle	

The power LED indicator indicates the call, message and phone's system status.

1.3 Screen and Icons

The user screens and icon indicators can help you navigate and understand the important information on the phone's status.

Topics

Idle Screen Calls Screen Icons in the Status Bar Line Key Icons Other Icons

Idle Screen

The idle screen is made up of the status bar, line keys, and soft keys. The time & date in the status bar or middle of the screen varies by phone models.



1. Status Bar: Display the default account, feature status icons, and the time. The status icons are displayed when features are activated.

2. Line Keys: Display the information associated with the line keys and feature keys on the phone.

3. Soft Keys: Display the information associated with the feature keys.

Calls Screen

All of your active and held calls are displayed on the calls screen. You can press up or down navigation key to switch among calls.

Check with your system administrator to find out if this feature is available on the phone. When there is an active call and a held call, the calls screen is shown below:

📞 connected	
	113 0:00:03
Holo	d Conf Cancel

You can go to **Menu > Status** page to view Network and phone status. The phone screen is shown below:

<	Network	Phone	Account	1/3 >
	1. Vlan ID	1		
	2. Mode	DHC	Р	
	3. IPv4	192.	168.20.68	
	4. IPv6			
	Back			

Icons in the Status Bar

Icons in the status bar vary by phone models.

lcon	Description	lcon	Description
	Wired network is available	Ą	Auto Answer
ц. Х-Г	Wired network is unreachable	\bigcirc	Do Not Disturb (DND)
())	Speaker mode	€¥	Keep Mute
6	Handset mode	Ą	Ringer volume is 0
Ģ	Headset mode		Missed Calls
	Voice Mail	Ý	Call Forward

	Call is on hold		Recording
(((•	Wi-Fi connected	(X	Wi-Fi connection failed
	Text message		

Line Key Icons

Icons on the line key that vary by phone models. **Icon indicators** (associated with line)

lcon	Description	
	The private line is registered successfully	
	Register failed	

Other Icons

Call History

lcon	Description	
Ľ	Received Calls	
C	Placed Calls	
C.	Missed Calls	

Contact

lcon	Description	
	Default Contact Picture	

Call

lcon	Description
$\langle \rangle$	Waiting
((🛜 »)	Ringing
>>>>	Calling

1.4 Entering Characters

You can use the keypad keys on your phone to enter or update field information. The following table describes how to enter different characters using the keypad keys.

Task	Action
Switch input modes	Press the ABC, abc, Ab2, 2aB, or 123 soft key to switch the input modes.
Enter alphas	Select ABC , abc , 2aB mode. press the keys labeled with letters until your desired letter appears. press a keypad key repeatedly to view the character options and stop when the letter you want to enter is displayed in the field. Wait one second, and then enter the next letter.
Enter numbers	Select 123 mode, press the corresponding keys.
	Select ABC , abc , 2aB mode, press * key or # key one or more times to enter one of the following special characters:
Enter special characters	<pre>* key: *.,'?!\-()@/:_;+&%=<> £ \$¥¤[]{~^i¿\$#" # key: # In 123 mode, you can press the * key to choose the following special characters: .*:/@[].</pre>
Insert space	Select ABC , abc , 2aB mode, press the 0 key.
Delete one or more characters	Position the cursor to the right of the character, and select the Delete soft key.

Chapter 2 Getting Started

This chapter describes the introductory operation of the P11W phone and covers the

For more information and help, please contact us.

TopicPhone initializationPhone StatusBasic network settingsWireless NetworkRegistration

2.1 Phone initialization

After the phone is powered on, the following steps will be performed.

- 1. the "FLYINGVOICE" logo is displayed on the LCD interface
- 2. When the phone is initialized, wait for the progress bar to finish loading.
- 3. After the phone starts normally, it can obtain network configuration through DHCP.

By default, the phone obtains network configuration such as IP address, subnet mask, default gateway address and DNS server through DHCP server.

Note: If the phone cannot get the network configuration through DHCP server, please do the basic network settings on page 20.

2.2 Phone Status

Procedure

You can press Menu, then press Status to view the Network and Phone status.

The phone screen is shown below:

<	Network	Phone	Account 1/3 >
	1. Vlan ID	1	
	2. Mode	DHC	Р
	3. IPv4	192.	168.20.68
	4. IPv6		
	Back		

2.3 Basic network settings

If the phone cannot get the network configuration through DHCP server, you need to set it manually.

The phone supports IP mode: IPv4, IPv6.

Set the IP address mode through the phone interface:

1. Press Menu->Advanced Settings (default password: admin)->Network->WAN Port


	WAN Port	
1.IPv4		
2.IPv6		
Back		OK

- 2. Select IPv4 or IPv6
- 3. Press Switch key to switch the type of IPv4 WAN port, select Static IP and DHCP

Set a Static IPv4 address through the phone interface:

- Press Menu->Advanced Settings (default password: admin)->Network->WAN Port->IPv4
- 2. Press Switch key to switch select Static IP
- 3. Enter the **IP address**, **Mask**, **Default Gateway**, **Primary DNS** and **Secondary DNS** in the corresponding area respectively

Error! Use the Home tab to apply 标题 1 to the text that you want to appear here.



4. Press the **OK** to save the operation

2.4 Wireless Network

You can connect the phones to a wireless network if Wi-Fi is available within the area. For more information, contact your system administrator.

Topics

Activating the Wi-Fi Mode Connecting to the Wireless Network Viewing the Wireless Network Information Disconnecting the Wireless Network Connection Deactivating the Wi-Fi Mode

Activating the Wi-Fi Mode

You can activate the Wi-Fi mode to connect your phone to an available wireless network.

Procedure

- 1. Navigate to **Menu** > **Basic** > **Wi-Fi**.
- 2. Select **On** from the **Wi-Fi** field.
- 3. Select **OK**.

The phone scans the available wireless networks in your area.



Connecting to the Wireless Network

After you have activated the Wi-Fi mode, you can connect the phone to the wireless network.

Connecting to an Available Wireless Network Manually

When you enable the Wi-Fi mode, the phone automatically connects to the saved wireless network, you can also connect it manually.

Before You Begin

Get the password of the wireless network from your system administrator. Make sure that the Wi-Fi mode is activated.

Procedure

- 1. Navigate to Menu > Basic > Wi-Fi.
- 2. Press the Available Network(s).
- 3. Optional: To research the available network, select Scan.


	Available	Network		
🕋 FWR	7102-0E4I	F70		
🖀 HW				
🛜 Flyingvoice_mac				
TP-LINK_2.4G_4DE7				
7 8021x				
Back	Detail	Scan	Connect	

- 4. Select the desired wireless network and select **Connect**.
- 5. If the network is secure, enter its password.
- 6. Select OK.

Viewing Wireless Network Information

You can view the wireless network information (for example, Profile Name, SSID or Signal Strength) when the Wi-Fi mode is activated.

Procedure





2. Select the desired network to view the detailed wireless network information.

If the phone is connected to a wireless network successfully, you can also navigate to **Menu** > **Basic**> **Wi-Fi** > **Wi-Fi** Status to view the connected wireless network information.

Disconnecting Wireless Network Connection

When you no longer want to connect to the current wireless network, you can disconnect it.

Procedure

- 1. Navigate to Menu > Basic > Wi-Fi.
- 2. Select Available Network(s).
- 3. Press the connected wireless network, and select **Discon**.

Tip: You can also disconnect the wireless network when deactivating the Wi-Fi mode.

Deactivating the Wi-Fi Mode

You should deactivate the Wi-Fi mode when you need to connect your phone to the wired network.

Note: When the phone uses the Wireless connection the Ethernet cable connection in the same time, the Wireless connection has the higher priority.

Procedure

- 1. Navigate to **Menu** > **Basic** > **Wi-Fi**.
- 2. Select **Off** from the **Wi-Fi** field.
- 3. Select OK.

2.5 Registration

Usually, the system administrator will pre-configure the relevant parameters and deploy all phones centrally, in this case, the phones are usually already registered with accounts.

The P11W IP phone supports 2 account registrations. If the phone is not registered, you need to register it manually.

Topic

Phone interface Registration Web Interface Registration

Phone interface Registration

You can register one or more accounts on the phone

- 1. Press Menu->Advanced Settings (default password is admin)->Account
- 2. Select the account you want to set up, click $\ensuremath{\text{OK}}$
- 3. Press the Switch key to switch the account status, and choose to turn on
- 4. Fill in the corresponding information in the **Display Name**, **Registered Name**, **User Name**,

Password, Sip Server, SIP Port, respectively

- 5. If you want to use outbound proxy server, please enter the corresponding server address
- in the corresponding proxy server option
- 6. Press the **OK** key to save the operation

Error! Use the Home tab to apply 标题 1 to the text that you want to appear here.

Line 1				
1. Registration	Enable			
2. Display Name	3006			
3. Register Name	3006			
4. User Name	3006			
5. Password	******			
Back	Switch	ОК		

Repeat steps 2-6 to complete the registration of all accounts.

Disable the account via the phone interface.

- 1. Press Menu->Advanced Settings (default password is admin)->Account
- 2. Select the account you want to set, press Enter
- 3. Press Switch to switch the account status, select Disable
- 4. Press the **OK** Key to save

Web Registration

You can register one or more accounts on the webpage

1. After checking the IP address of the phone, enter the IP address in the browser and enter the web management page of the phone

Tip: Default Administrator Username and Password are "admin"

2. Click **SIP Account->Line x,** drop down and select **Line Enable** to **enable**, fill in user information (**Display Name**, **Phone Name**, **Account**, **Password**), Proxy and Registration information (**Proxy server, Proxy port, Transport**)

FLYINGVOIC				Current Time 2022-09-22 17:27 Admin Mode [Logout] [Reboo
Status Network S	Phone Phone	Administration		
Line 1 Line 2 SIP Set	ttings VoIP QoS Ring	9		
Basic				Help
Register Status				Basic:
Register Status	Registered			Set the basic parameters provided for by your VoIP Service Provider:
	Registereu			Phone Number and Account
Basic Setup				Details.
Line Enable	Enable 🖌			Audio Configuration:
Subscriber Information				Select the relevant audio Codecs t
Display Name	3006	Phone Number	3006	match your VoIP Service Provider's settings.
Account	3006	Password	•••••	
Proxy and Registration —			·	Supplementary Service Subscription:
				Call Waiting - This call feature
Proxy Server	192.168.50.165	Proxy Port	5060	informs the user if there is one more call is coming on his number
Outbound Server		Outbound Port	5060	
Backup Outbound Server		Backup Outbound Port	5060	Proxy Port:
Allow DHCP Option 120 to Override SIP Server	Disable 🗸	Transport		Different proxy port numbers need to be configured on each FXS

3. Click Save & Apply to save the operation

Disable the account via the web interface:

1. Click SIP Account->Line x, drop down and select Account Disable

Tips

Incorrect network settings may cause the network to be unavailable and may also have an impact on the performance of the network. To learn more about the parameters, please consult your system administrator.

Chapter 3 Call Features

You can use the phone to place and answer calls, ignore incoming calls, transfer a call to someone else, conduct a conference call and perform other basic call features.

Topics

Placing Calls Answering Calls Disabling Call Waiting Silencing or Rejecting Incoming Calls Ending Calls Muting/Unmuting Audio Holding and Resuming Calls Redirecting Incoming Calls Redirecting Incoming Calls Call Waiting Transferring Calls Conference Calls

3.1 Placing Calls

You can use your phone like a regular phone to place calls in many ways easily.

Topics

<u>Placing a Call from the Dialer</u> <u>Placing Multiple Calls</u> <u>Redialing a Number</u> <u>Placing a Call from the Call History</u> <u>Placing a Call from the Directory</u>

3.1.1 Placing a Call from the Dialer

The Dialer enables you to enter a number to place a call, and it displays a list of previously placed calls or contacts in your directory.

You can also select the desired contact from the search list, the placed call list or Directory.

Procedure

- 1. Do one of the following:
- Start typing a phone number.
- Select the desired line key.
- Pick up the handset, press the Speakerphone key
 or the HEADSET key
 .
- 2. Enter a number or select a contact.
- 3. Select Send.

∢ ∥ Talking	J			
	\frown	0:00:06	3006	<u>&</u>
			1111	~
6625				ھ
Transfer	Hold	Confrr	ic En	dCall


Tip: Your system administrator can enable the live dial-pad feature, which enables your phone to automatically dial out the phone number after some time without selecting **Send**.

3.1.2 Placing Multiple Calls

When you are in a call, you can hold your current call and place a new call.


Procedure

- 1. Press Hold to place the original call on hold.
- 2. Press NewCall, enter the desired number or select a contact.



3. Select Send.

Tip: Only one call is active at any time, and other calls are on hold. You can press **Swap** to switch the call.



3.1.3 Placing a Call from the Call History

You can place calls to contacts from the History list, which contains the calls that were recently placed, answered, missed, or forwarded.

Procedure

1. Press History.

- The phone screen displays All/Missed/Dialled/Received call records.
- 2. Select the desired number, it will make the call automatically.

3.1.4 Placing a Call from the Directory

You can place a call to a contact directly from your directory.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Select the desired contact and press the desired number.

3.1.5 Placing a Call using the RJ9 headset

Connect the headset, press (Q) to activate the headset mode, enter the number and press

the Send soft key

3.2 Answering Calls

When you receive a call, you can choose to answer it manually or automatically.

Topics

Answering a Call Answering a Call When in a Call Answering a Call Automatically

Answering a Call

When you receive an incoming call, the phone rings and the screen displays the information of the incoming call. You can choose to answer the incoming call.

Procedure

1. Do one of the following:

- Pick up the handset.
- Press the Speakerphone key .
- Press the HEADSET key.
- Press Answer.

The call is answered in the speakerphone (hands-free) mode by default.

Answering a Call When in a Call

You can answer a call when there is already an active call on your phone.

When you are in an active call and an incoming call arrives on the phone, a call waiting tone beeps, and the incoming call information is displayed.



Procedure

1. Select Answer.

The active call is placed on hold, and the incoming call becomes active.

Tip:

You can disable the call waiting feature to reject the incoming call automatically during a call.

Answering a Call Automatically

The auto answer enables you to automatically answer an incoming call in speakerphone (hands-free) mode when your phone is idle.

Tip: When you are in an active call and an incoming call arrives on the phone, the incoming call will not be automatically answered even if the auto answer is enabled.

Your system administrator can configure the phone to automatically answer the incoming call after ending all calls.

Phone interface

Procedure

1. Navigate to Menu > Features > Auto Answer > Auto Answer Settings.

2. Enable the **Auto Answer**.

N

3. Select OK.

Web interface

Procedure

1. Navigate to Phone-> Preferences-> Miscellaneous->Auto Answer All Phone Number

-> Save & apply

liscellaneous	
Auto Answer All Phone Number	Disable V
Auto Answer Delay Time	Disable Enable
Dial Time Out (IDT)	5
Auto On-hook Mode	Enable V

3.3 Disabling Call Waiting

If the call waiting feature is disabled, when there is already a call, the new incoming call will be rejected automatically.

Procedure

- 1. Navigate to Menu > Features > Call Waiting > Call Waiting Settings.
- 2. Select Disable.
- 3. Select OK.

3.4 Silencing or Rejecting Incoming Calls

When you receive an incoming call, you can choose to silence or reject the call instead of answering.

Rejecting Calls with Do Not Disturb (DND)

You can enable DND to reject all incoming calls automatically when you do not want to be interrupted.

Topics

Rejecting Calls with DND Deactivating DND

Rejecting Calls with DND

Procedure

- 1. Navigate to Menu > Features > DND.
- 2. Select **Enable** from the DND Status field.

3. Select OK.

The DND icon eppears in the status bar.

Tip: To activate or deactivate DND quickly, press the DND soft key when the phone is idle.

Deactivating DND

You can deactivate DND when you are ready to resume receiving calls again.

Procedure

- 1. Navigate to **Menu** > **Features** > **DND**.
- 2. Select **Disable** from the DND Status field.
- 3. Select OK.

The DND icon isappears from the status bar.

Tip: To deactivate DND quickly, press the **DND** soft key when the phone is idle.

3.5 Ending Calls

You can end the current call at any time.

Procedure

1. Do one of the following:

- If you are using the handset, press the **Cancel** key or hang up the handset.
- If you are using the headset, press the **Cancel** key.
- If you are using the speakerphone, press the **Cancel** key, Speakerphone key .

3.6 Muting/Unmuting Audio

When you are in a call, you can mute the audio, so that you can hear the other person, but they cannot hear you.

Procedure

- 1. Press the MUTE key during a call.
- 2. Press the MUTE key again to unmute the call.

3.7 Holding and Resuming Calls

You can place an active call on hold and resume the call when you are ready. When you place a call on hold, the held party may hear the music played by its sever.

Topics

Holding a Call Resuming a Held Call

Holding a Call

You can place an active call on hold on your phone.

Procedure

Press Hold during a call.

The phone ignores engaged audio devices (handset or headset) and plays beep in the Speakerphone (hands-free) mode by default.

Resuming a Held Call

You can view and resume a held call on the phone.

Procedure

Press Resume.

If multiple calls are placed on hold, select the desired call first.

Tip: When you have multiple calls on the phone and the current call is active, you can select **Swap** to swap to the held call.

3.8 Redirecting Incoming Calls

When you are not available to answer calls on your phone, you can forward the calls to another phone.

Topics

Forwarding All Incoming Calls to a Contact Forwarding All Incoming Calls on All Lines Deactivating Call Forward Diverting Calls to a Contact

Forwarding All Incoming Calls to a Contact

You can set up the forwarding type which enables your phone to forward all incoming calls to a contact. There are three types of forwarding:

Always Forward: Forwards all incoming calls immediately.

Busy Forward: Forwards incoming calls when you are busy in a call.

No Answer Forward: Forwards incoming calls when no one answers the calls.

Call Forward	
1. Always Forward	
2. Busy Forward	
3. No Answer Forward	
Back	OK

Forwarding All Incoming Calls on All Lines

You can forward all incoming calls on the phone.

Before You Begin

Check with your system administrator if the forward on code or off code is required. If required, get it from your system administrator.

Procedure

- 1. Navigate to Menu > Features > Call Forward.
- 2. Select the desired forwarding type and select **Enable** from the corresponding field.
- 3. Enter the contact number you want to forward incoming calls to in the Forward to field.

4. If you select the **No Answer Forward** option, select the desired ring time to wait before forwarding from the field.

5. Optional: Enter the always/busy/no answer forward on code or off code respectively in the **On Code** or **Off Code** field.

6. Select **OK**.

The call forward icon 🖾 appears in the status bar.

Deactivating Call Forward

You can deactivate call forward when you no longer want to forward your calls.

Procedure

- 1. Navigate to Menu > Features > Call Forward.
- 2. Select the desired forwarding type and select **Disable** from the corresponding field.
- 3. Select OK.

Diverting Calls to a Contact

You can divert all incoming calls from a particular contact to another contact. Auto divert has precedence over call forward.

Procedure

- 1. Select **Directory (Dir)** or navigate to **Menu > Directory > Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Select the desired contact, and select Detail.
- 4. Edit the contact information.
- 5. Enter a contact's number you want to divert the call to in the Auto Divert field.
- 6. Select Save.

3.9 Call Waiting

The call waiting feature can be turned on or off.

If the call waiting feature is enabled, new incoming calls can be answered during a call. If call waiting is turned off, new calls will be automatically rejected during the call and a busy tone will be indicated.

Phone interface configuration

Procedure

1. Press Menu -> Features -> Call Waiting -> Call Waiting Settings, click Switch key, select On

2. Press the **OK** key to save the operation

Web interface configuration

Procedure

1. SIP Account-> Line x -> Call Waiting, turn on call waiting, save and apply.

Call Waiting	Enable 🛩	Hotline	
Enable MWI	Enable 🗸	Voice Mailbox Numbers	*2
MWI Subscribe Enable	Disable 🗸		
MWI Subscription Period(Seconds)	3600	Voice Mail Display	Disable 🗸
Outgoing Call Block Password	••••	Outgoing Call Active Password	••••
Emergency Call Num			

3.10 Transferring Calls

During a call, you can transfer the call to another contact. You can use one of two ways:

- Blind Transfer: Transfer a call directly to the third party without consulting.
- Attended Transfer (Consultative Transfer): Transfer a call with prior consulting.

Topics

Performing a Blind Transfer Performing an Attended Transfer

Performing a Blind Transfer

You can transfer a call to another contact immediately without consulting with her/him first.

Procedure

- 1. Press Transfer (Trans) during a call.
- 2. Do one of the following:
- Enter the number or select a contact from the placed call list you want to transfer to.
- Press Directory (Dir). Select the desired contact from the Directory list.
- 3. Press TRAN key or BXFER to complete the transfer.

Tip: If you are using a handset, the transfer can be completed by hanging up the handset. Your system administrator can also set your phone to perform attended transfer when using a Transfer key.

Performing an Attended Transfer

You can transfer a call to another contact after consulting with her/him.

Procedure

- 1. Press Transfer (Trans) during a call.
- 2. Do one of the following:
- Enter the number or select a contact from the placed call list you want to transfer to.
- Press **Directory (Dir)**. Select the desired contact from the Directory list.

3. Wait until the third party answers the call, press TRAN key to complete the transfer.

3.11 Conference Calls

The phone supports a 6-way local conference and multi-way network conference. During the conference, follow these tips:

- Use the handset or a headset if you're in an open environment.
- Mute your microphone when you are not speaking, especially in noisy environments.
- Avoid tapping or rustling papers near the microphone.
- Speak in your normal voice without shouting.

Tip: Check with your system administrator to find out if the local conference is enabled on your phone.

Topics

Setting Up a Local Conference Call Holding or Resuming a Conference Call Splitting a Conference Call Ending a Conference Call

Setting Up a Local Conference Call

You can set up a local conference call with up to five contacts.

Procedure

1. Place a call to the first party.

2. When the first party answers the call, select **Conference (Confrnc)** to place a new call. The active call is placed on hold.

3.Dial the second party's number.

You can also select the desired contact from the search list, or select a contact from the placed call list or Directory before you enter the number.

4. Wait until the second party answers the call, press the **Conference (Confrnc)** key.

5. At this point, a three-person meeting was generated.

Holding or Resuming a Conference Call

When you place a conference call on hold, other participants cannot hear each other until you resume the held conference call.

Procedure

1. Press **Hold** to place the conference on hold.

2. Press **Resume** to resume the held conference call.

Splitting a Conference Call

You can split the conference call into individual calls. After the split, the conference call ends, and other parties are on hold. Press **Resume** to resume one of the held call or hang up.

Procedure

- 1. Select Split.
- 2. Press the navigation key up or down to select a held call.
- 3. Press Resume.

Ending a Conference Call

When you end the conference call, the other parties drop the call.

Procedure

1. Select End Call (EndCall).

Chapter 4 Advanced Call Features

You can perform some server-dependent tasks on the phone. Contact your system administrator to find out if your phone supports these advanced call features.

Topic

Paging Voice Mail Text Message MWI (Message Waiting Indicator) Directory Call History

4.1 Paging

You can use the paging feature to easily and conveniently send time-sensitive announcements to every member of your paging group.

Tip: Paging is not supported by all servers. For more information, please contact your system administrator.

Configuring Paging function

The server side configures the account to use the paging function, and sets up the paging/intercom group number.

Procedure:

1. Finish configuring paging on the PBX

2. Then log into the phone's web interface, go to **Phone**->**Line key** page, **type** select **Paging**, enter the group number into the value, then click the **Save** button.

Status Ne	etwork SIP Aco	ount Phone	Administ	ration			
Preferences	Programmable Key	Dial Rule	Phone Book	Call Log	Action URL	Web Dial	Multicast IP
Dsskey							Help
							SpeedDial:
Key	Туре	Line	Valu	le	Label	Extens	i to a contracting.
SoftKey 1	Paging 🗸	~	6604		Paging		simplified speed function allows
SoftKey 2	Directory 🗸	~					the most freque numbers.
SoftKey 3	DND 🗸	~					numbers.
SoftKey 4	Menu 🗸	~					EventType:
Up	N/A 🗸	~					The function of changed accord
Down	N/A 🗸	~					needs.
Left	SwitchAccour 🗸	~					
Right	SwitchAccour 🗸	~					
ОК	Status 🗸	~					

3. After that, you can press the configured programable key to use the function.

Using Paging

Paging supports the following functions.

- Calling paging account
- Answering paging calls

Calling a paging account:

1. When the phone is in standby status, press the **Paging key** or **Paging programmable key** to call the paging number on the server side that has the paging function enabled.

2. Press the Speakerphone key or ENDCall soft key to end the call.

Answering a paging call:

When there is a paging incoming call, the phone will answer the call automatically. You can press the **Speakerphone key** and the **ENDCall soft key** to end the call.

4.2 Voice Mail

Voice Mail feature allows you to leave voice messages for someone or listen to your voice mail messages on your IP phones.

This feature is set up on the server-side and not all servers support this feature.

Topics

Leaving Voice Mails Listening to Voice Mails

Leaving Voice Mails

You can leave a voice mail to someone who is busy or inconvenient to answer the call.

Procedure

- 1. Follow the voice prompts to leave a voice mail.
- 2. Hang up to complete the voice mail.

Listening to Voice Mails

You can listen to your voice mails on the phone, to obtain voice information sent by a contact.

Before You Begin

You need to set the voice mail code in advance.

Procedure

1. Navigate to Menu > Message > Voice Mail.

The phone screen displays the amount of new and old voice mails.

- 2. Select an account, and then select Connect.
- 3. Follow the voice prompt to listen to your voice mails.

Tip: When the phone prompts that the phone receives a new voice mail, you can press the **Connect** soft key to dial out the voice mail access code directly.

4.3 Text Message

The phone supports the functions of newly sending text messages, viewing sent text messages, receiving and viewing read/unread text messages, saving sent failed text messages, deleting text messages, etc. The main contents include the following.

- New Message
- Inbox
- Sentbox
- Outbox
- Draftbox

When a new text message is received, the power indicator flashes red slowly, the LCD interface

indicates "n New text messages", and the voice message icon 🐸 is displayed in the status bar of the main interface.

8 5004			<mark>-</mark> 7	۲
05	Dote New Text	Message(s) - - -) 4	8
Exit			Vie	w


Description: After exiting the text message prompt window, the unread prompt window will not pop up again until there is a new text message, or an account with an unread text message after re-registration.

New Message

Procedure

1. Press Menu->Message->Text Message->New Message

2. Enter the text message content, and the text message cannot be empty



3. When finished, Press **Send** soft key, press the \bigcirc or \bigcirc key to switch the sender account,

and then press the \bigcirc or \bigcirc key to fill in the recipient account.

4. After filling in the message, press the **Send** soft button, and if "**Sending Message**..." is prompted, it means the message has been sent to the recipient, if "**Fail to send** " is prompted, it means the recipient does not exist or other errors, the text message will be saved in the **Outbox** and can be changed and resend.

Viewing text messages

To view received messages.


Procedure

1. Press Menu->Message->Text Message->Inbox

2. You can select one message and press the View to view the content of this message.

<	Inbox	Sentbox	Outbox	1/4 >		To:	212	
	212		11/4 13:44		HI, FLYING	WOICE.		
В	ack	Reply C)ption	View	Back	Forward	Delete	

When viewing a text message, you can press the **Reply** to reply to the message directly; you can also press the **Delete** key to delete the message, or press **Option** in the received list to select **Delete** or **Delete** All.



To view sent messages:

Procedure

1. Press Menu->Message->Text Message->Sentbox

2. You can select one message and press the **View** to view the content of this message.

<	nbox	Sentbox	Outbo	x 2/4>			212	
	212		11/413	:57	HI,this is	IOM.		
	212		11/413	:44				
Ba	ck Fo	orward	Option	View	Back	Forward	Delete	

When viewing a text message, you can press **Forward** to transfer the message to another account; you can also press the **Delete** to delete the message, or press the **Option** in the Sentbox message list to select **Delete** or **Delete All**.

	То	:212		<	Inbox	Sentbox	Outbox	2/4 >
HI,this is	s TOM.				212	2	11/414:12	
	🚹 Note				213)	11/4 13.57	
						1. Delete	1	
	Delete this	s message?		¥,		2. Delete All	F	
Cance			OK	B	ack			OK

Save Text message

Save to outbox: When sending a text message, it will be automatically saved to the **outbox** after sending failure.

Procedure

1. Press Menu->Message->Text Message->Outbox.

2. Display the list of failed messages, you can one message, press the View to view the message content

< In	box	Sentbox	Outbox	3/4 >		To:	588	
	588	1	11/4 13:49		.ad			
Peo	k I		Intion	liow	Deek	Forward	Delete	
Bac	К		ption	View	Back	Forward	Delete	

When viewing a text message, you can press **Forward** to transfer the message to another account; you can also press the **Delete** to delete the message, or press the **Option** in the Sentbox message list to select **Delete** or **Delete All**.

Save to Draftbox: When sending a message, if it is not sent out and you quit editing the message, it will be automatically saved to the draftbox

Procedure

1. Press Menu->Message->Text Message->Draftbox

Text Message	
1. New Message	
2. Inbox	
3. Sentbox	
4. Outbox	
5. Draftbox	
Back	OK

Display the list of unsent messages, select one message, and press **Send** to send the text message directly

< Sentbox	c Outbo	x Draftb	ox 4/4>
>		11/413	:48
Back	View	Option	Send

Press View to view the text message; or press the Option to Delete or Delete all

4.4 MWI (Message Waiting Indicator)

When a voice message is received, the phone will prompt messages, the voice message icons appear on the LCD interface, and the power indicator slowly flashes red. When all voice messages are checked or deleted, the voice icon disappears and the power indicator turns off.

Tip: Not all servers support the MWI function. For more information, please consult your system administrator.

Option	Description
MWI Enabled	Enable or disable MWI service

MWI Subscription Enabled	Before the MWI subscription cycle expires, the phone
	resends the MWI subscription request.

Tip: The type of MWI subscription service used by the phone (account-based or voicemessage number-based) depends on the server selected. For more information, please consult your system administrator.

Procedure

To set up MWI enable via the web interface.

- 1. Click SIP Account->Line x->Supplementary Services
- 2. Enable MWI->Select Enable(Default Enable)
- 3. MWI subscription enable->select **Enable**
- 4. Click Save & Apply the save operation

s	upplementary Services			
	Call Waiting	Enable 🗸	Hotline	
	Enable MWI	Enable 🗸	Voice Mailbox Numbers	*2
	MWI Subscribe Enable	Enable 🗸		
	MWI Subscription Period(Seconds)	3600	Voice Mail Display	Disable 🗸
	Outgoing Call Block Password	••••	Outgoing Call Active Password	••••
	Emergency Call Num			
	Transfer on Conference Hang up	Disable 🗸	Feature Key Synchronization	Disable 🗸

4.5 Directory

The phone provides several types of phone directories, which can be customized by your system administrator.

Topics

Local Contacts Blacklist

Local Contacts

You can store up to 2000 contacts in your local directory, you can search, add, edit and delete a contact.

Topics

Managing the Local Directory Groups Managing the Local Directory Contacts Moving a Local Directory Contact to Blacklist Searching for Contacts

Managing the Local Directory Groups

You can manage the Local Directory groups when the phone is idle.

Topics

Adding Contact Groups

Flyingvoice Network Technology Co., Ltd.

Editing Contact Groups Deleting Contact Groups

Adding Contact Groups

To organize your contacts and make them easier to find, you can add additional groups in the Local Directory.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select AddGrp.
- 3. Enter the desired group name and select **Ring Type**.
- 4. Select Save.

Editing Contact Groups

You can change or add the group's information.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired group.
- 3. Select **Option** > **Detail**.
- 4. Edit the group information.
- 5. Select Save.

Deleting Contact Groups

When you delete a contact group, the contacts in the group will not be deleted. You can view the contacts in **All Contacts** list.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired group.
- 3. Select **Option** > **Delete**.
- The phone prompts you whether to delete the group.
- 4. Select OK.

Managing the Local Directory Contacts

You can manage the Local Directory contacts when the phone is idle.

Topics

Adding Contacts Viewing Contacts

Editing Contacts

Deleting a Contact

Deleting All Contacts

Adding Contacts

When you add a contact to your Local Directory, you can choose how much information you

want to enter for your contact. You are required to enter a contact name at least for each new contact.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Select Add.
- 4. Enter your contact's information.
- 5. Select the desired account from the **Account** field.
- 6. Select **Save** .

Viewing Contacts

You can view the local contacts from the Local Directory on your phone.

Procedure

1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.

2. Select the desired contact group or All Contacts.

The contact names are displayed in alphabetical order.

Editing Contacts

You can update your contacts' information.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Select the desired contact, and select Detail.
- 4. Edit the contact information.
- 5. Select Save.

Deleting a Contact

You can delete any contact from the Local Directory.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Click on the right side of the list-more, and select Delete.
- Tip: The phone prompts you whether to delete the contact.
- 4. Select OK.

Deleting All Contacts

You can delete all contacts from the Local Directory.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.

3. Select **Option** > **Delete All**.

The phone prompts you whether to delete all contacts.

4. Select OK.

Moving a Local Directory Contact to Blacklist

You can move a contact in the Local Directory to blacklist. Incoming calls from this contact will be rejected automatically.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Select the desired contact, and select **Option > Add to Blacklist**.

The phone prompts you whether to move to the blacklist.

4. Select OK.

Searching for Contacts

In the Local Directory, you can enter search criteria to find your desired contact quickly.

Procedure

- 1. Select **Directory** or navigate to **Menu** > **Directory** > **Local Contacts**.
- 2. Select Search.
- 3. Enter your search criteria in the search field.

Blacklist

Incoming calls from the Blacklist are rejected automatically.

Topics

Adding a Blacklist Contact Viewing Blacklist Contacts Editing a Blacklist Contact Deleting Blacklist Contacts Moving a Blacklist Contact to the Local Directory

Adding a Blacklist Contact

You can add a blacklist contact on the phone to prevent someone from calling you.

Procedure

- 1. Navigate to Menu > Directory > Blacklist.
- 2. Select Add.
- 3. Enter the blacklist contact's information.
- 4. Select Save.

Viewing Blacklist Contacts

You can view the blacklist contacts from the Blacklist on your phone.

Procedure

1. Navigate to **Menu > Directory > Blacklist**.

Editing a Blacklist Contact

You can update your blacklist contacts' information.

Procedure

- 1. Navigate to **Menu > Directory > Blacklist**.
- 2. Select the desired blacklist contact, and select **Option > Detail**.
- 3. Edit the blacklist contact information.
- 4. Select Save.

Deleting Blacklist Contacts

You can delete one or all blacklist contacts. If a contact is removed from the blacklist, you can answer the call from the contact normally.

Topics

Deleting a Blacklist Contact Deleting All Blacklist Contacts

Deleting a Blacklist Contact

If you want to answer a call from a specific contact, you need to remove it from the Blacklist. **Procedure**

1. Navigate to Menu > Directory > Blacklist.

- 2. Select the desired blacklist contact.
- 3. Select **Option** > **Delete**.

The phone prompts you Delete selected item.

4. Select OK.

Deleting All Blacklist Contacts

You can delete all contacts from the Blacklist when you are ready to answer calls from them again.

Procedure

- 1. Navigate to **Menu > Directory > Blacklist**.
- 2. Select the desired blacklist contact, select **Option > Delete All**.

The phone prompts you whether to delete all contacts.

3. Select **OK**.

Moving a Blacklist Contact to the Local Directory

You can move a blacklist contact to a Local Directory. Incoming calls from this contact will not be rejected automatically.

Procedure

- 1. Navigate to Menu > Directory > Blacklist.
- 2. Select the desired contact, and then select Add to Contact list.

The phone prompts you whether to move to contact.

3. Select **OK**.

4.6 Remote Phone Book

The remote phone book is a centrally maintained phone book, stored on the remote server. Users only need the access URL of the remote phone book. The IP phone can establish a connection with the remote server and download the phone book, and then display the remote phone book entries on the phone.

Topics

Remote phonebook updated to local (xml) Remote Phonebook

Remote phonebook updated to local (xml)

Remote Phone book is to download all the server's Phonebook(.xml) to the phone Local Contacts, you can see the complete organization structure and contact information.

Configure Remote phonebook (.xml) to Local Contacts via Web UI:

1. Go to the web interface and click **Phone** -> **Directory**-> **Remote Phonebook update to local (xml).**

2. Fill in the URL (remote phonebook address), the detection interval is 3600s by default.3. Click Save

FLYÍ	IGV	DICE									nware Version V0.10.5 ne 2024-09-27 15:21:1 [Logout] [Reboot]
Status	Network	Wireless	SIP Acco	ount Pho	one Adminis	stration					
Preference	s Program	nmable Key	Line Key	Dial Rule	Phone Book	Call Reco	rding	Call Log	Action URL	Remote Control	Web Dial
Multicast I											
Phone B	ook Uploa	d & Downl	oad							Help	
Phone Bool	Upload & C	Choose File Upload CSV	No file chose Download C								the directory Settings" button to you edit or add an
Phone Book	Upload & C	Choose File Upload XML	No file chose Download >							Blocklist: Telephone numbe cannot be called.	ers saved in this list
Remote ph	nebook upo	lated to local	(xml)								
Intervals(s)		3600								
URL			http://192	168.77.3/Ph	nonebook15870	S6.xml Sa	ave				
Corporate I	irectory(UC	2.x)						-			
Server			192.168.5	0.12							
Port			80			Si	ave				

Example of xml file (http server):

Error! Use the Home tab to apply 标题 1 to the text that you want to appear here.

Login	Name .extension	Size	Timesta	<root_co< th=""><th><contact< th=""><th>display_name="G</th><th>100" office_number="</th><th>100" mobile_number="" other_number</th></contact<></th></root_co<>	<contact< th=""><th>display_name="G</th><th>100" office_number="</th><th>100" mobile_number="" other_number</th></contact<>	display_name="G	100" office_number="	100" mobile_number="" other_number
	C Screenshots	folder	2024/9/27 14:		<contact< td=""><td>display_name="G</td><td>101" office_number="</td><td>default_photo="" auto_divert=""/> 101" mobile_number="" other_number</td></contact<>	display_name="G	101" office_number="	default_photo="" auto_divert=""/> 101" mobile_number="" other_number
>> Folder	III extkey.cfg	62.3 KB	2024/9/10 16:		<contact< td=""><td>display name="G</td><td>102" office number="</td><td><pre>default_photo="" auto_divert=""/> 102" mobile_number="" other_number</pre></td></contact<>	display name="G	102" office number="	<pre>default_photo="" auto_divert=""/> 102" mobile_number="" other_number</pre>
C Home	🗆 🛲 extkey1.cfg	16.7 KB	2024/9/13 15:		<contact< td=""><td><pre>a" group_id_name="Remote Phone Book" default_photo="" auto_div t display_name="G103" office_number="103" mobile_number="" oth</pre></td><td>103" mobile_number="" other_number</td></contact<>	<pre>a" group_id_name="Remote Phone Book" default_photo="" auto_div t display_name="G103" office_number="103" mobile_number="" oth</pre>	103" mobile_number="" other_number	
	UIADV_7628_GRANDCOM_V0.P.10.127.21_202407041524_T(P20_P23)error.bin	19.8 MB	2024/7/5 10:		<contact< td=""><td>display_name="G</td><td>104" office_number="</td><td>default_photo="" auto_divert=""/> 104" mobile_number="" other_number</td></contact<>	display_name="G	104" office_number="	default_photo="" auto_divert=""/> 104" mobile_number="" other_number
I folders, 14 files, 40.1 MBytes	U W FVUIADV_7628_GRANDCOM_V0.P.10.127.23_202407151705_T(P20_P23G)error.bin	19.8 MB	2024/7/16 13:		<contact< td=""><td>display_name="G</td><td>105" office_number="</td><td><pre>default_photo="" auto_divert=""/> 105" mobile_number="" other_number</pre></td></contact<>	display_name="G	105" office_number="	<pre>default_photo="" auto_divert=""/> 105" mobile_number="" other_number</pre>
Search	P23G1.cfg	5.6 KB	2024/6/27 13:		<contact< td=""><td>display_name="G</td><td>106" office_number="</td><td>default_photo="" auto_divert=""/> 106" mobile_number="" other_number</td></contact<>	display_name="G	106" office_number="	default_photo="" auto_divert=""/> 106" mobile_number="" other_number
go	□ 🗐 P23G2.cfg	3.2 KB	2024/6/14 13:		<contact< td=""><td>display name="G</td><td>107" office_number="</td><td>default_photo="" auto_divert=""/> 107" mobile_number="" other_number</td></contact<>	display name="G	107" office_number="	default_photo="" auto_divert=""/> 107" mobile_number="" other_number
	D B Phonebook1587056.xml	304.3 KB	2024/3/21 13:		<contact< td=""><td><pre>group_id_name="Remote Phone Book" default_photo="" auto_diver display_name="G108" office_number="108" mobile_number="" other_</pre></td><td>108" mobile number="" other number</td></contact<>	<pre>group_id_name="Remote Phone Book" default_photo="" auto_diver display_name="G108" office_number="108" mobile_number="" other_</pre>	108" mobile number="" other number	
Select	C 📴 Remote1500.xml	127.0 KB	2024/6/14 15:		<pre>e="0" ring="0" group_id_name="Remote Phone Book" default_ <contact display_name="G109" mob<br="" office_number="109">e="0" ring="0" group_id_name="Remote Phone Book" default_ <contact display_name="G100" mob<="" office_number="110" pre=""></contact></contact></pre>	109" mobile number="" other number		
All Invert Mask	🗆 🐻 SnomInput.xml	498B	2024/9/20 9:			10" office number="110" mobile number="" other number		
0 items selected	🔲 🐻 SnomMenu.xml	558B	2024/9/20 9:		<contact< td=""><td>display name="G</td><td>111" office number="</td><td><pre>default_photo="" auto_divert=""/> l11" mobile number="" other number</pre></td></contact<>	display name="G	111" office number="	<pre>default_photo="" auto_divert=""/> l11" mobile number="" other number</pre>
Actions	🖸 國 start.xml	128B	2023/6/8 11:	line="0"	' ring="0	group_id_name=	"Remote Phone Book"	default_photo="" auto_divert=""/>
Archive Get list	🖸 國 YealinkInput.xml	499B	2024/9/20 9:	:42:07	3			
Annancestancesand Annonantesessed	W YealinkIPPhoneDirectory.xml	6708	2023/6/6 14:	59:32	0			
Server information	C 🕼 YealinkMenu.xml	677B	2024/9/20 9:	:37:52	0			
ttpFileServer 2.3m erver time: 2024/9/27 16:32:08								

You can view the Phonebook (All Contacts) on the web:

Index	Name	Office Number	Mobile Number	Other Number	Group Name	
1	G100	100			1	
2	G101	101			1	
3	G102	102			1	
4	G103	103			1	
5	G104	104			1	
6	G105	105			1	
7	G106	106			1	
8	G107	107			1	
9	G108	108			1	

View Remote phonebook (All Contacts) through the phone screen:

1. Click Menu->Directory->Local Contacts, you can see the imported phonebook.

2. View the list of contacts in the phonebook

< All Contacts		1	1/49 >
I G	100	100	
🔔 G	1000	1000	
🔔 G	1001	1001	
🔔 G	1002	1002	
🔔 G	1003	1003	
Back	Add	Option	Dial

Remote Phonebook

You can access the Remote Phone Book remotely and see the complete organization contact information. you can configure up to 4 URLs.

Procedure

Configure the Remote Phone Book via the Web UI:

- 1. Go to the web UI and click Phone -> Phonebook -> Remote Phonebook Download (xml)
- 2. In URL, fill in the URL address and Phonebook name (directory name), optional

Incoming/Outgoing Call Lookup

3. Click Save

TIPS: You can fill in more than one remote phonebook URL.

Intervals(s) 3	600		
URL 1 ht	ttp://192.168.77.3/Remote1500.xml	Name 1	phonebook1500
URL 2 ht	ttp://192.168.71.10/Phonebook.xml	Name 2	Phonebook0002
URL 3		Name 3	
URL 4		Name 4	
URL 5		Name 5	
Incoming/O utgoing Call D Lookup	isable 🗸		
S	Save		

To view the remote phone book through the phone screen:

1. Click **Menu**->Remote Phone Book->Remote Address Book and select the imported remote group.

2. View the list of contacts in the **Remote Phone book**.

TIPS: You can Dial/Search/Add Contacts.

	OOB_Two		5005		
	mical chen		1002		
	wang zi jian		10.10.32.147		
	zhuby		6010		
	OOB_Two		29000		
Back Add		Search	Dial		

4.7 LDAP

LDAP stands for Lightweight Directory Access Protocol, which is a client-server protocol for accessing a directory service.LDAP directory feature of the Flyingvoice phone allows you to search for contacts.

Configure LDAP Address Book through the web interface:

- 1. Click Phone-> Phonebook->LDAP, select Enable LDAP
- 2. Fill in the server address information of Corporate address book, as shown below.
- 3. Click Save.

DAP	
Enable LDAP	Enable ~
LDAP Label	LDAP Phone Book
LDAP Name Filter	((cn=%)(sn=%))
LDAP Number Filter	((telephoneNumber=%)(mobile=?
Server Address	192.168.50.165
Port	389
Base	dc=pbx,dc=com
User Name	cn=admin,dc=pbx,dc=com
Password	password
Max Hits (1~1000)	50
LDAP Name Attributes	sn cn
LDAP Number Attributes	mobile telephoneNumber homePho
LDAP Display Name	%cn
Protocol	Version 3 ~
LDAP Lookup For Incoming Call	Disable ~
LDAP Lookup For Callout	Enable ~
LDAP Sorting Results	Disable ~ Save

Example (Labeling selection depends on the server):

Enable LDAP: Enable/Disble LDAP Label: LDAP Phone Book (Display Name) LDAP Name Filter: (|(cn=%)(sn=%)) LDAP Number Filter: (|(telephoneNumber=%)(homePhone=%)(mobile=%)) LDAP Server Address: 192.168.20.165 Port: 389 Base: dc=pbx,dc=com User Name: cn=admin,dc=pbx,dc=com Password: password Max Hits (1~1000): 50 LDAP Name Attributes: cn sn displayName LDAP Number Attributes: telephoneNumber homePhone mobile mail departmentNumber LDAP Display Name: %cn Protocol: Version 3 LDAP Lookup For Incoming Call: Enable LDAP Lookup For Callout: Enable LDAP Sorting Results: Enable

Add to Contact/Blocklist through LDAP Phone Book:

1. On the Phone UI, go to Menu-> Directory, select your LDAP.

2. Select a number, press **Option->Add to Contact/Blocklist**, you can view the **Detail** of a contact or **Dial**.

Error! Use the Home tab to apply 标题 1 to the text that you want to appear here.

Directory			LDAP		1/39
1. Local Contacts		Q			
2. Block List		2 100	Detail		
3. Remote Phone Book		🗷 Wat	Add to Contact		
4. Corporate address book		ᆂ Meg	Add to Blocklist		
5. LDAP Phone Book		2 602	602		
Back	ОК	Cancel			OK

Search Contacts through LDAP Phone Book:

- 1. On the Phone UI, go to **Menu-> Directory**, select your **LDAP**.
- 2. Enter the keywords for the contact and the screen will display the search results.

4.8 Call History

The call history list includes Missed Calls, Dailled Calls, Received Calls, and each list holds 60 entries.

Topics

<u>Viewing History Records</u> <u>Saving a History Record to Local Directory</u> <u>Saving a History Record to Blacklist</u> <u>Deleting History Records</u>

Viewing History Records

The history record saves the call information such as the caller's name and number, local line and call duration.

Procedure

- 1. Press History.
- 2. Select the desired list.
- 3. Select the desired entry.
- 4. Select **Option** > **Detail**.

Saving a History Record to Local Directory

To identify someone's call the next time, you can save a history record to the Local Directory.

- 1. Select History.
- 2. Select the desired list.
- 3. Select the desired entry, and select **Option** > **Add to Contacts**.
- 4. Edit the contact information.
- 5. Select OK.

Saving a History Record to Blacklist

You can prevent someone from calling you again by saving a history record to Blacklist.

Procedure

- 1. Select **History**.
- 2. Select the desired list.
- 3. Select the desired entry, and select **Option** > **Add to Blacklist**.
- 4. Edit the contact information.
- 5. Select OK.

Deleting History Records

You can delete one or all call records from the call history list. **Topics** <u>Deleting a Call Record</u> <u>Deleting All Call Records</u>

Deleting a Call Record

You can delete any call record from the call history list.

Procedure

- 1. Press History.
- 2. Select the desired list.
- 3. Select the desired entry, and select Delete.

Deleting All Call Records

You can delete all call records from the call history list.

- 1. Press History.
- 2. Select the desired list.
- 3. Select the desired entry, and select **Delete All**.
- The phone prompts you whether to delete all the records.
- 4. Select OK.

Chapter 5 Customizing Your Phone

You can make your phone more personalized by customizing various settings.

Topics

Basic Setting Audio Settings AP Mode

5.1 Basic Setting

Topics <u>Backlight</u> <u>Language</u> <u>Time & Date</u> <u>Changing the Administrator Password</u> <u>Call Immediately key</u> <u>Phone lock</u>

Backlight

You can change the brightness of the phone screen during phone activity and inactivity. The brightness automatically changes after the phone has been idle for a specified time. You can change the screen backlight and time in the following settings:

Brightness:

Navigate to **Menu** > **Basic** > **Display** > **Backlight**, click < or > **key** to select Current screen brightness and idle backlight brightness.

• You can select: 1、2、3、4、5、6、7

Activation time:

The delay time to change the brightness of the phone screen when the phone is inactive. Backlight time includes the following settings:

- Always On: Backlight is on permanently.
- **15s, 30s, 1min, 2min, 5min, 10min or 30min:** Backlight is changed when the phone is inactive after the designated time.

Procedure

- 1. Navigate to Menu > Basic > Display > Backlight
- 2. Select the desired time from the **Backlight** field.
- 3. Select Save.

Backlight Brightness: When the phone is active, the screen brightness can be adjusted in 7 levels. When the phone is in Idle, the screen brightness can be adjusted in 8 levels.

Procedure

1. Navigate to Menu > Basic > Display > Active Level or Backlight Idle Intensity.

- 2. Select the desired level from the corresponding field.
- 3. Select Save.

Language

Your phone supports several languages that you can choose to use on the phone. Contact your system administrator to find out exactly which languages are supported on your phone.

Procedure

- 1. Navigate to **Menu** > **Basic** > **Language**.
- 2. Select the desired language.
- 3. Select OK.

The phone language is changed to the selected one.

Time & Date

You can set the time and date manually. The time and date formats are also variable. **Topics**

<u>Setting the Time and Date Manually</u> Changing the Time and Date Format

Setting the Time and Date Manually

If your phone cannot obtain the time and date automatically, you can set it manually.

Procedure

- 1. Navigate to Menu > Basic > Time & Date > General.
- 2. Select the Manual from the General field.
- 3. Edit the date and time.
- 4. Select OK.

The time and date set on the phone will be changed accordingly.

Changing the Time and Date Format

You can set the phone to display the time in 12-hour format or 24-hour format.

Procedure

- 1. Navigate to Menu > Basic> Time & Date > Time Format.
- 2. Select the desired time format.
- 3. Select OK.

Changing the Administrator Password

By default, you need input administrator password to access the **Advanced** setting menu. The default password is "admin". For security reasons, you should change the default password as soon as possible.

- 1. Navigate to Menu > Advanced > Change Password.
- 2. Select Menu Password Enter your old and new password information.
- 3. Select OK.

Call Immediately key

You can set the "#" key or the "*" key as the call Immediately key, the default is the "#" key Setting via phone web

Procedure

- 1. Phone-> Preferences-> Miscellaneous
- 2. Select "#" or "*", click save and apply

Miscel	laneous
	ancous

Auto Answer All Phone	Disable V	Auto Answer by Callinfo	Disable 🗸
Auto Answer Delay Time	0	Auto Answer Specify Phone Number	
Dial Time Out (IDT)	5	Call Immediately Key	# ~
Auto On-hook Mode	Enable 🗸	Preferred Audio Device	Enable 🗸
ICMP Ping	Enable \checkmark	Enable Escaped Char	Disable \checkmark
Backlight Time(seconds)	15 🗸	Phone Lock	Disable \checkmark
Phone lock password (1-15 digits)	•••••	Phone lock timeout (s)	10
Hook Disable	Disable \checkmark		
Call Display	Name+Number \checkmark		
Voice Message Prompt Tone	Enable 🗸		

Phone lock

To set the keypad lock locally via the phone.

- 1. Press Menu->Basic Settings->Phone Lock
- 2. Select the Phone Lock on or off by press Switch
- 3. fill in the keyboard lock time (unit: seconds)
- 4. Click Set Password, fill in the new password, confirm again and press OK

Tip: If the two password input is same, it will prompt "password change successfully", else it will prompt "two password input inconsistent", you need to input password again 5. After successful setting, the LCD will be locked after the screen is turned off, click the **Unlock**,

enter password and click **OK** to unlock the screen.

5.2 Audio Settings

You can change the basic audio settings on your phone.

Topics

Adjusting the Volume Setting the Ring Tone

Adjusting the Volume

You can adjust the volume of the ringer, media, and the audio during a call.

Procedure

1. Press the **Volume** key to adjust the volume.

Setting the Ring Tone

You can set distinctive ring tones for groups or contacts in your Local Directory so that you can identify the caller when your phone rings.

The ring tones are used according to this priority: Contact ring tone>Group ring tone>Account ring tone >Phone ring tone.

Topics

Setting a Ring Tone for the Phone Setting a Ring Tone for a Group Setting a Ring Tone for a Contact

Setting a Ring Tone for the Phone

You can choose a ring tone for all incoming calls.

Procedure

1. Navigate to **Menu > Basic> Ring >Ring Type**.

- 2. Select the desired ring tone.
- 3. Select OK.

Setting a Ring Tone for a Group

You can select a unique ring tone for various groups in your Local Directory.

Tip: You can only set a ring tone for a group that is added manually.

Procedure

1. Select **Directory** or navigate to **Menu > Directory> Local Contacts**.

- 2. Select the desired group.
- 3. Select **Option** > **Detail**.
- 4. Select the desired ring tone from the Ring Type field.

If a specific ring tone is selected, this group uses the ring tone according to the priority: Contact ring tone>Group ring tone.

5. Select **Save**.

Setting a Ring Tone for a Contact

You can select a unique ring tone for various contacts in your Local Directory. This helps you quickly identify callers according to the ring tones.

- 1. Select **Directory** or navigate to **Menu** > **Directory**> **Local Contacts**.
- 2. Select the desired contact group or All Contacts.
- 3. Choose the desired contact, and select **Option** > **Detail**.
- 4. Select the desired ring tone from the **Ring Type** field.
- 5. Select Save.

5.3 AP Mode

You can use the FLYINGVOICE Phone as an AP wireless access point, and you can use wireless devices (mobile wireless devices such as cell phones and computers) for network connection.

Enable AP Mode

AP mode, when turned on, shuts down the phone's connection to Wi-Fi.

Procedure

- 1. Press the Menu->Advanced->Network->AP
- 2. Select AP ON, enter the SSID and Password, select Security and Encryption Mode

AP				
1. AP	On			
2. SSID	123	3456		
3. Securi	ty WP	A-PSK		
4. Encry	otion AES	;		
5. Password ******				
Back	123	Delete	ОК	

3. Press Save

4. Phone UI will prompt "Turing on AP mode will turn off WiFi. Do you want to reboot?", Press **OK**

5. Wait for the phone to restart, you can find the AP access point in your Wi-Fi list.

Chapter 6 Maintaining Your Phone

When your phone is unable to operate properly, you need to investigate or troubleshoot issues along with other tasks your system administrator may ask you to perform.

Topics

Rebooting Your Phone Resetting to Factory Settings

6.1 Rebooting Your Phone

The improper operation may cause malfunction. If the malfunction occurs, your system administrator may ask you to reboot your phone.

Procedure

1. Navigate to Menu > Basic > Reboot.

The phone prompts you whether to reboot the phone.

2. Select **OK**.

Tip: You can also long press the Cancel key on the keypad when the phone is idle to reboot the phone.

6.2 Resetting to Factory Settings

When some issues occur on your phone and you have tried all troubleshooting suggestions but still do not solve the problem, you can reset your phone to factory configurations.

This operation will delete all your personal configuration settings, and reset all settings to the factory defaults. Check with your system administrator if the personalized settings are kept before resetting your phone to factory settings.

Procedure

1. Navigate to Menu > Advanced (default password: admin) > Reset to Factory Settings.

2. Select Reset to Factory Settings.

The phone prompts you whether to reset the setting.

3. Select **OK**.

The phone begins resetting.

Tip: Reset of your phone may take a few minutes. Do not power off until the phone has started up successfully.